

# STN<sup>®</sup> AnaVist<sup>™</sup>, Version 2.0

## Quick Start Guide

### Contents

<b>Introduction</b>	
About this guide.....	2
Overview of using STN AnaVist .....	2
Login access.....	3
<b>Collecting Documents</b>	
Searching and saving documents in STN Express .....	4
Importing documents into STN AnaVist .....	5
Reviewing imported documents .....	6
<b>Visualizing Information</b>	
Creating charts .....	7
Key Organizations/Assignees .....	9
Key Researchers by Publication Year Trends.....	10
Research Landscape .....	11
Adding charts .....	15
Editing terms within charts .....	16
<b>Exploring Relationships</b>	
Using the Highlight Manager .....	17
Highlighting charts.....	18
Examples of exploring relationships.....	19
<b>Working with Documents</b>	
Using labels and filters .....	25
Visualizing a subset.....	28
Viewing document details.....	29
Saving and printing.....	31
<b>Working with Projects</b>	
Managing projects .....	32
Saving projects for sharing.....	32
Opening shared projects .....	33
Creating reports.....	34
<b>Tracking Costs</b> .....	35
<b>Logging Off</b> .....	35

## INTRODUCTION

### About this guide

This Quick Start Guide provides an overview of the basic capabilities of STN AnaVist. It assumes that you have installed the STN AnaVist software and can connect to CAS. If you have problems installing or connecting, see the STN AnaVist Technical Support information at [www.cas.org](http://www.cas.org).

Additional information about STN AnaVist features is also available:

- STN AnaVist Help topics – Use the **Help** menu within STN AnaVist or press the **F1** key.
- Context-sensitive Help – Click a  icon within STN AnaVist to view information about a specific feature.

In many places, this guide includes references to online Help topics where you can find more details and related information.

### Overview of using STN AnaVist

STN AnaVist is an interactive analysis and visualization software product that provides unique insights into trends and patterns in scientific and patent information.

Before you log on to STN AnaVist, Version 2.0, you need to use STN Express<sup>®</sup>, Version 8.2, to search for and save documents for visualization in STN AnaVist.

Using STN AnaVist involves the following main steps:

1. **Collect** a set of documents relevant to the question(s) you are trying to answer.
2. **Visualize** the information in those documents.
3. **Explore** the visualizations to discover trends and relationships and find answers to your question(s).

This guide covers information on the main steps, as well as additional features for working with documents or projects and tracking costs.

**Login access**

You can access STN AnaVist with a:

- Regular, full-access STN<sup>®</sup> login ID
- STN Login ID for Shared Projects

With a regular STN login ID, you have access to all the capabilities of STN AnaVist and STN Express.

STN Login IDs for Shared Projects are designed for viewing and customizing projects created by a holder of a full-access STN login ID. For example, holders of STN Login IDs for Shared Projects cannot perform any tasks that require access to STN Express such as creating search results in STN and importing them into STN AnaVist for visualization.

For details about what tasks can and cannot be performed with an STN Login ID for Shared Projects, visit [www.cas.org](http://www.cas.org).

If you have a full-access STN login ID and would like to request STN Login IDs for Shared Projects for one or more colleagues, visit [www.cas.org](http://www.cas.org) or contact CAS Customer Care.

**Help Topics**

- STN AnaVist Overview
- How to Find Answers with STN AnaVist
- Login Access

## COLLECTING DOCUMENTS

There are two steps in the process of collecting documents:

1. Search and save documents with STN Express, Version 8.2.
2. Import the saved documents into STN AnaVist.

One or more of these databases may be searched together or separately, before saving and importing documents into STN AnaVist:

- CPlus<sup>SM</sup> family of databases
- PCTFULL
- USPATFULL and USPAT2
- Derwent World Patents Index<sup>®</sup> (DWPI<sup>SM</sup>) database (WPINDEX/WPIDS/WPIX files on STN with access to WPIDS and WPIX for subscribers only)
- 2ANAVIST cluster – includes CPlus, PCTFULL, USPATFULL/USPAT2, and WPINDEX/WPIDS/WPIX
- 2HANAVIST cluster – includes HCAplus, PCTFULL, USPATFULL/USPAT2, and WPINDEX/WPIDS/WPIX


### Searching and saving in STN Express

#### To search and save documents in STN Express, Version 8.2:


1. Create an L-number for search results in supported databases by using standard STN search features, e.g., proximity operators, FSEARCH, duplicate removal.
2. Use the **Save for STN AnaVist** Wizard. For example, click the L-number with search results you want to save, select the **Save for STN AnaVist** Wizard, and follow the instructions.

Choose a search wizard:	Select an L-number:	Choose a results wizard:
Select Database	L3 410 ...	Analyze Plus
Author		Analyze
CAS Registry Number		Display
Chemical Name		Refine
Corporate Source		Save
Subject		Save R-group data
Edit alert		Save for STN AnaVist
Upload Query		Save for SciFinder
Display from STN AnaVist		Get Related Polymers
		Get Related Sequences
		Create Single-file SDI
		CAS RN & Role Report
		Go to L-number
		Evaluate with STN Viewer

3. Enter a file name. Note the folder where the documents will be saved. Click **Save**.




4. Confirm that documents should be saved. A confirmation message displays. Click **OK**.



5. Exit STN Express.

## Importing documents into STN AnaVist

### To import documents into STN AnaVist:

1. Log on to STN AnaVist.
2. Click  on the STN AnaVist toolbar.
3. Locate your saved file in the STN Express **Trnscript** folder or another folder, if you changed the default. Note that in STN Express 8.2, the file extension for a file saved for STN AnaVist 2.0 is .xta, e.g., "pde4.xta."
4. Click **Open**.

## (Optional) Reviewing imported documents

When the import completes:

- The titles of imported documents display in the Documents section, listed by database collection, in alphabetical order:
  - CAPLUS
  - PCTFULL
  - USPATFULL
  - USPAT2
  - WPINDEX (WPIDS and WPIX subscribers will see the WPINDEX content within STN AnaVist.)
- The total number of documents displays in the Documents section and on the status bar. By default, the Documents section displays 50 titles per page. Use **Tools > Preferences > Documents** to change the default.



For additional information about imported documents, click **Import Summary**.

To review the details for a particular document, double-click on any title. A display charge will be incurred.


## Help Topics

- Searching with STN Express
- Import a Document Set from STN Express
- Errors During Import
- Review the Imported Document Set

## VISUALIZING INFORMATION

### Creating Charts

To create charts that help you visualize the information in a set of documents:

1. Click the  button in the lower right corner of the screen.
2. Select an option for the clustering fields to be used for the Research Landscape. The default choice is Title/Abstract.



Select an option for clustering:

Clustering fields  
*Based on databases used*

Backup fields  
*Used only if all clustering fields are missing*


Title/Abstract

IPC Codes

Exemplary/First Claim

Custom... Start Cancel

Custom options for clustering fields are also available. You may choose multiple text fields for clustering.



Select data fields for clustering:

Clustering fields

Backup fields  
*Used only if all clustering fields are missing*

Text Fields

Title/Abstract

Exemplary/First Claim

Technology Indicators


IPC Codes

Exemplary/First Claim  
All Claims  
Technology Indicators

Start Cancel

Click **Start**.

3. A charge notice is displayed. View pricing or click **OK**.




Visualization will incur a charge to your account. [View pricing.](#)

OK Cancel

The following three default charts are created:

- Key Researchers by Publication Year Trends
- Key Organizations/Assignees
- Research Landscape

In addition, a Documents window is available for working with documents.



You can minimize or maximize each chart, or select either the **Tile** (default) or **Cascade** viewing option from the **Window** menu.


## Help Topics

- Visualize Document Information
- Visualize with Standard Clustering Options
- Visualize with Custom Clustering Options



## Key Organizations/ Assignees

Content of the Key Organizations/Assignees chart:

- This bar chart displays organizations or patent assignees. Hover on the name to see the document count.
- The name of each organization or assignee is extracted from the Corporate Source/Patent Assignee field of the documents.
- Names are algorithmically grouped.
- The top 50 terms are shown by default. (To change the number of terms displayed, right-click on the chart to access the **Properties**.)
- By default, names are sorted by descending document count.



Working with the Key Organizations/Assignees chart:

To...	Do this...
Increase the density of the number of shown bars	Use the density slider: 
View and select from options such as <b>Print, Save As, Sort, Edit Terms, or Properties</b>	Right-click in the chart, and select one of the options.
Select from options on the floating toolbar: <b>Show Highlighted Bars Only, Sort, Edit Terms, Properties</b>	Select from the floating toolbar: 


## Help Topics

- Visualize Document Information
- Use Bar Charts
- Navigate Charts


### Key Researchers by Publication Year Trends

Content of the Key Researchers by Publication Year Trends chart:

- This matrix chart displays key researchers with the corresponding document counts for the years of publication of documents.
- By default, the researchers are sorted by co-occurrence frequency.



Working with the Key Researchers by Publication Year Trends chart:

To...	Do this...
Control the density of the chart data for viewing on the screen	Use horizontal or vertical density sliders.
View and select from options such as <b>Print, Save As, Sort, Edit Terms, or Properties</b>	Right-click in the chart and select one of the options.
Select from options on the floating toolbar: <b>Show Highlighted Bars Only, Sort, Edit Terms, Properties</b>	Select from the floating toolbar: 


### Help Topics

- Visualize Document Information
- Use Matrix Charts
- Navigate Charts




## Research Landscape

### Content of the Research Landscape:

- This map is designed to indicate research fronts.
- Research fronts are indicated by clusters of documents with similar content.
- Each document is represented once on the landscape by a dot.
- The two most frequently occurring concepts in each cluster are displayed in the landscape.








Working with the Research Landscape:


To...	Do this...
View the most frequent concepts in the research front	Hover over a peak. 
Change the colors of the map	From the <b>Tools</b> menu, select <b>Preferences</b> and then <b>Visualization Workspace</b> . 
Change the maximum frequency of occurrence of terms before they are included	From the <b>Tools</b> menu, select <b>Preferences</b> and then <b>Research Landscape</b> . 

## Working with the Research Landscape toolbar:

With the Research Landscape toolbar, you may change the appearance of the Research Landscape. Hover over each tool to view the tooltip describing its function. Some examples are:

Tool	Functions
<p><b>Select Cursor</b></p>  <p>with these options:</p> 	<ul style="list-style-type: none"> <li>• Highlight a set of documents</li> <li>• Tilt the Research Landscape</li> <li>• Zoom in on the Research Landscape</li> </ul>
<p><b>Show Landscape Navigator</b></p> 	<p>Adjust how much of the landscape to display in the window.</p> 
<p><b>Select Landscape View</b></p> 	<p>Change to:</p> <ul style="list-style-type: none"> <li>• 3D View (emphasizing the document densities)</li> <li>• 2D View (light background)</li> <li>• 2D View (dark background)</li> </ul>

An example of a 2D View on a white background:



### Help Topics

- Visualize Document Information
- How the Research Landscape Is Created
- Navigate the Research Landscape

## Adding Charts

To create additional charts, select from options within the **Add Chart** drop-down menu located on the toolbar.

<b>This chart...</b>	<b>Displays document counts for...</b>
Clustering Concepts	Cluster labels
Derwent Class	Patent codes from the DC field of WPINDEX
Derwent Manual Code	Patent codes from the MC field of WPINDEX
Document Distribution	Document type, e.g., patent and nonpatent
Key Researchers	Authors, editors, or inventors
Labels	User-assigned labels applied to documents
Patent Classifications	Main and secondary International Patent Classification (IPC) codes
Patent Countries	Patent-issuing countries
Patent Country Code/Kind Code	Patent Country Code and Patent Kind Code
Priority Application Years/Dates	Date the priority application was filed (The oldest date is chosen in cases of multiple priorities.)
Publication Year Trends	Years of publication
Technology Indicators	CAS controlled indexing terms standardized across indexing periods. These terms occur in CApplus, USPATFULL, and USPAT2. CAS Registry Numbers <sup>®</sup> are not included.
Add Matrix Chart	Customized co-occurrences (You specify the fields for rows and columns.)

## Help Topics

- Visualize Document Information
- Use Bar Charts
- Use Matrix Charts
- Navigate Charts

## Editing terms within charts


STN AnaVist is designed to minimize scattering and produce “clean” charts the first time.

In addition, you may edit the terms within the charts by:


- Combining related terms
- Renaming term groups
- Deleting terms

To edit terms or groupings within a chart, right-click anywhere on the chart and select **Edit Terms**. You can drag and drop terms for grouping, or use the options on the screen.

To easily combine terms that appear far apart in your list, click the **Show**

**Split Pane** (  ) button on the Term Editor to view the terms in two separate panes.

You can drag terms across the panes or within either pane. The content of the two panes is identical.



## Help Topics

- Edit Terms and Clean Up Data
- Group Terms Automatically
- Use Split View

## EXPLORING RELATIONSHIPS

STN AnaVist makes it possible to explore relationships among data in your documents so that you can quickly and easily answer questions such as:


- In what areas of research is a particular company engaged? Who are the key researchers? (See Example 1.)
- Who are the key patent assignees for a given area of research? (See Example 2.)
- How do two or more companies compare in terms of areas of research and key researchers? (See Example 3.)


To explore relationships:

1. Use the Highlight Manager to select one or more highlighting colors.
2. Highlight a portion of a chart or the Research Landscape.


With the STN AnaVist Highlight Manager, you can use multiple colors to compare as many as eight sets of documents and their relationships.


### Using the Highlight Manager


To use the Highlight Manager, click the **Highlight Color Selector** () and select **Highlight Manager**.







Within the Highlight Manager, rows represent individual highlight sets and columns represent information about those highlight sets. Click in the Color column to display a color palette. To change the color of the highlight set, click on the color of choice in the palette.



To add another highlight set, click **New Highlight Set** (  ). Click the **Highlight Manager** to select another color for this set from the color palette.




### Highlighting charts

To highlight...	Do this...
Bars or cells in charts	<ol style="list-style-type: none"> <li>1. Click a bar or cell.</li> <li>2. Use the <b>&lt;Ctrl&gt;</b> key to select nonconsecutive bars or cells. Use the <b>&lt;Shift&gt;</b> key to select consecutive bars or cells.</li> </ol>
An area of the Research Landscape	<ol style="list-style-type: none"> <li>1. Select the <b>Highlight Cursor</b> <div data-bbox="990 1564 1279 1701" style="border: 1px solid black; padding: 5px; margin: 10px 0;"> <ul style="list-style-type: none"> <li> Highlight Cursor</li> <li> Tilt Cursor</li> <li> Zoom Cursor</li> </ul> </div>                     from the drop-down menu of the <b>Select Cursor</b> (  ).                 </li> <li>2. Draw a box around an area of interest. (Use the <b>&lt;Ctrl&gt;</b> key to select multiple areas.)</li> </ol>

**Example 1: Find information on a company of interest. Who are the main researchers? What is the main research area? What documents or patents have been recently published by that company?**

In the Key Organizations/Assignees chart, highlight the company of interest by clicking on its bar. The bar becomes highlighted in the currently active highlighting color (green in this example) shown on the Highlight Color


Selector (  ).



In the Researchers by Publication Year Trends chart, the cells for the documents by researchers from that company automatically become highlighted. The numbers in each highlighted cell indicate the number of documents published by a particular researcher for that year. For example, 1/4 means that this researcher authored 1 out of 4 documents published with the selected company as the organization or patent assignee.

Researcher	2005	2004	2002	2006	2000	2001	2003	1999	2007	1998	1997
Hatzelmann Armin	11	10	7	5	5	3	1	4			
Maax Degenhard	11	10	1	6						1	
Batsig Johannes	11	11	1	2			1				
Kley Hans Peter	10	8	6	5	4	2	1	4			
Schmidt Beate	10	4	1	3	2			1			
Flockerzi Dieter	8	4	4	5	4			2			
Kautz Ulrich	7	3		6							
Edlin Christopher David	7/7	3/3							1/1		
Bundschuh Daniela		2	6		3	3	2	1			
Grundler Gerhard	3	1	6		3						
Zitt Christof	6			5							
Mathias John Paul	6						4				
Redgrave Alison Judith	5/5	3/3									
Nickolaus Peter				6							
Martyres Domnio				6							
Stek Oeert Jan	3	5	3			2	1	1			
Beume Rolf		2			5		2	4			
Hopper Allen T	1	5	2	3			1				
Gutterer Beate			5		4			2			
Muller George W		5		3			2				
Gharat Laxmikant Atmaram	1	5		4							
Lindvall Mika Kristian	5/5	3/3							1/1		
Lakdawala Aftab Dawoodb...	3	5	1								
Jones Paul Spencer	5/5	3/3							1/1		
Menge Wiro M P B	3	5									
Fowler Kerry W		2	1			5					
Niemi Alf	5			1					1		
Myrman Mattias	5			1					1		
Johnson Martin Redpath	5/5	2/2									
Cook Caroline Mary	5/5	2/2									
Calander Sven	5			1					1		

Dots for the documents by that company also become highlighted (in green) in the Research Landscape.




In addition, in the Documents window, green is applied to the boxes for the titles of the documents by that company.


	Title	Label
<input checked="" type="checkbox"/>	Preparation of phenylpyrazolecarboxamides as non-steroidal glucocorticoid receptor ligands. CAPLUS	
<input checked="" type="checkbox"/>	Preparation of indazoles as non-steroidal glucocorticoid receptor modulators for the treatment of inflammatory and/or allergic conditions. CAPLUS	
<input checked="" type="checkbox"/>	Preparation of 1,7-naphthyridine-3,6-dicarboxamides as selective PDE4 inhibitors for treating and/or preventing an inflammatory and/or allergic diseases. CAPLUS	
<input checked="" type="checkbox"/>	Preparation of tetrahydronaphthalene derivatives as glucocorticoid receptor modulators. CAPLUS	
<input checked="" type="checkbox"/>	Preparation of benzoxazines as non-steroidal glucocorticoid receptor modulators for the treatment of inflammatory and/or allergic conditions. CAPLUS	
<input checked="" type="checkbox"/>	Preparation of pyrazolo[3,4-b]pyridines as phosphodiesterase type 4 (PDE4) inhibitors. CAPLUS	
<input checked="" type="checkbox"/>	Preparation of 4-[[1-(aminocarbonyl)-4-piperidinyl]amino]-N-[(3,4-dimethylphenyl)methyl]-1-et as a PDE4 inhibitor. CAPLUS	
<input checked="" type="checkbox"/>	Preparation of aminopyri(mi)dinecarboxamide CB2 modulators for use in combination with PDE4 inhibitors for treating pain, immune, inflammatory and rheumatic diseases. CAPLUS	
<input checked="" type="checkbox"/>	Preparation of quinoline derivatives as phosphodiesterase inhibitors. CAPLUS	
<input checked="" type="checkbox"/>	Preparation of phenethanolamines as $\beta$ 2-adrenoreceptor agonists for treatment of respiratory diseases. CAPLUS	
<input checked="" type="checkbox"/>	Therapies for treating respiratory diseases using phosphodiesterase 4 inhibitor in combination with $\beta$ adrenergic agonist and anti-inflammatory	

0 Marked Documents 1 - 50 of 58 Page 1 of 2


## Example 2: What organizations and researchers are involved in a particular area of research?

Use the **Highlight Manager** to choose another color (  ) for this set of documents.

In the Research Landscape, select a research area of interest. Dots for the documents become highlighted (in red in this example).



In the Key Organizations/Assignees chart, bars for key organizations/assignees involved in that area automatically become highlighted. The portion of the bar that is highlighted in red reflects the portion of documents related to the area of research selected in the Research Landscape.



In the Key Researchers by Publication Year Trends chart, the cells for the corresponding documents automatically become highlighted. The numbers in the highlighted cells indicate the numbers of documents by a particular researcher. For example, 1/3 means that 1 out of 3 documents authored by the researcher deal with the research area selected in the Research Landscape.


	2005	2004	2002	2006	2000	2001	2003	1999	2007	1998	1997
Hatzelmann Armin	11	1/10	7	5	5	3	1	4			
Max Degenhard	11	10	1	6						1	
Barsig Johannes	11	11	1	2			1				
Kley Hans Peter	10	8	6	5	4	2	1	4			
Schmidt Beate	10	4	1	3	2			1			
Flockerzi Dieter	8	4	4	5	4			2			
Kautz Ulrich	7	3		6							
Edlin Christopher David	7	2							1		
Bundschuh Daniela		2	6		3	3	2	1			
Grundler Gerhard	3	1	6		3						
Zitt Christof	6			5							
Mathias John Paul	6						4				
Redgrave Alison Judith	6	3									
Nikolaus Peter				6							
Martyres Dominic				6							
Stek Geert Jan	3	5	3			2	1	1			
Beume Rolf		2			5		2	4			
Hopper Allen T	1	5	2	3			1				
Gutterer Beate			5		4			2			
Muller George W		1/5		1/3			2				
Gharat Laxmikant Atmaram	1	5		4							
Lindvall Mika Kristian	5	3							1		
Lakdawala Aftab Dawoodb...	3	5	1								
Jones Paul Spencer	5	3							1		
Menge Wiro M P B	3	5									
Fowler Kerry W		2	1			5					
Niemi Alf	5			1					1		
Myrman Mattias	5			1					1		
Johnson Martin Redpath	5	2									
Cook Caroline Mary	5	2									
Calander Sven	5			1					1		


In addition, the documents corresponding to the highlighted areas of the charts display in the Documents window.

	Title	Label
<input checked="" type="checkbox"/>	A preparation of novel isoindolone derivatives, useful as PDE4 inhibitors. CAPLUS	
<input checked="" type="checkbox"/>	PDE4 inhibitors for the treatment of neoplasms of lymphoid cells. CAPLUS	
<input checked="" type="checkbox"/>	Preparation of 2-(fluoroalkoxyphenylalkyl)-1,3-dihydroisoindolones as PDE4, TNF- $\alpha$ , and/or MMP inhibitors. CAPLUS	
<input checked="" type="checkbox"/>	Cancer treatment method. CAPLUS	
<input checked="" type="checkbox"/>	Method for identifying compounds modulating intracellular distribution of phosphodiesterase (PDE) using live cells. CAPLUS	
<input checked="" type="checkbox"/>	Methods for the screening of non-recombinant cell lines capable of expressing a single PDE4 isoenzyme and for the screening of PDE4 inhibitors. CAPLUS	
<input checked="" type="checkbox"/>	Preparation of isoindoline derivatives for treatment of cancer, inflammatory bowel disease, and myelodysplastic syndrome. CAPLUS	
<input checked="" type="checkbox"/>	Preparation of fused pyrrole compounds as TNF $\alpha$ and/or PDE4 inhibitors for treatment of cancer, inflammatory disorders, and autoimmune diseases. CAPLUS	
<input checked="" type="checkbox"/>	A preparation of 7-aminoisoindolone derivatives. CAPLUS	
<input checked="" type="checkbox"/>	Preparation of acrylic amides for treatment of inflammation, diabetes, and related disorders. CAPLUS	
<input checked="" type="checkbox"/>	Preparation of indolizine compounds for treating conditions involving PDE4 or elevated levels of cytokines. CAPLUS	
<input checked="" type="checkbox"/>	Fluorescence-based mucus assay for measuring mucus secretion and for	


0 Marked 18 Documents

### Example 3: How do two companies compare in terms of areas of research and key researchers?

1. Use the Highlight Manager to choose the colors for the two sets of documents you want to compare:
  - a. Click the **Highlight Color Selector**. Select **Clear All Highlighting** if you want to remove all previously used highlighting sets.
  - b. Select **Highlight Manager**. In the Highlight Manager table, click the Color column to display a color palette. Select the color you want to use to highlight the documents for the first company.
  - c. To add another highlight set, click **New Highlight Set** (  ). Click the **Highlight Manager** to select another color for this set from the color palette.



2. Highlight the two companies with different colors.
  - a. Click the first color in the Highlight Manager. On the Key Organizations/Assignees chart, click the bar for the first company.
  - b. Select the second color. Click the bar for the second company. The two companies that you are comparing are now highlighted in two different colors.



Data on the other charts are also appropriately highlighted in two colors.

Key Researchers by Publication Year Trends - © 2007 ACS on STII											
	2005	2004	2002	2006	2000	2001	2003	1999	2007	1998	1997
Hatzelmann Armin	11	10	7	5	5	3	1	4			
Manx Degenhard	11	10	1	6						1	
Barsig Johannes	11	11	1	2			1				
Kley Hans Peter	10	8	6	5	4	2	1	4			
Schmidt Beate	10	4	1	3	2			1			
Floekerzi Dieter	8	4	4	5	4			2			
Kautz Ulrich	7	3		6							
Edlin Christopher David	7/7	2/2							1/1		
Bundschuh Daniela		2	6		3	3	2	1			
Grundler Gerhard	3	1	6		3						
Zitt Christof	6			5							
Mathias John Paul	5/6						3/4				
Redgrave Alison Judith	6/6	3/3									
Nickolaus Peter				6							
Martyres Dominic				6							

In addition, the documents corresponding to the highlighted areas of the charts display in the Documents window.

Documents		
<input type="button" value="Select Label..."/> <input type="button" value="Apply"/> <input type="button" value=""/> <input type="button" value=""/> <input type="button" value=""/> <input type="button" value=""/>		
		Title
6	<input checked="" type="checkbox"/>	Preparation of benzoxazines as non-steroidal glucocorticoid receptor modulators for the treatment of inflammatory and/or allergic conditions. CAPLUS
7	<input checked="" type="checkbox"/>	Preparation of pyrazolo[3,4-b]pyridines as phosphodiesterase type 4 (PDE4) inhibitors. CAPLUS
8	<input checked="" type="checkbox"/>	Preparation of 4-([1-(aminocarbonyl)-4-piperidinyl]amino)-N-[(3,4-dimethylphenyl)methyl]-1-ethyl-1H-pyraz as a PDE4 inhibitor. CAPLUS
9	<input checked="" type="checkbox"/>	Preparation of aminopyri(mi)dinecarboxamide CB2 modulators for use in combination with PDE4 inhibitors for treating pain, immune, inflammatory and rheumatic diseases. CAPLUS
10	<input checked="" type="checkbox"/>	Preparation of nicotinamide derivatives as PDE4 inhibitors. CAPLUS
11	<input checked="" type="checkbox"/>	Preparation of N-heteroaroylamino-cyclohexyl nicotinamides as phosphodiesterase-4 (PDE4) inhibitors. CAPLUS

## Help Topics

- Use Bar Charts
- Use Matrix Charts
- Navigate Charts
- Navigate the Research Landscape
- Highlight Documents
- Use Comparison Highlighting
- Highlight Manager

## USING LABELS AND FILTERS

### Using labels

You can use labels to identify a group of documents within a visualized answer set. Labeling is especially useful for creating document subsets for subsequent saving, printing, or sharing.

Labels can consist of up to 30 characters and contain multiple words. Multiple labels may be applied per document.

You can label documents from:


- Charts in the visualization workspace
- Documents window

#### To label documents from a bar or matrix chart:

1. Select a bar or cell.
2. Right-click and select **Apply Label**.
3. Type a new label in the New Label(s) field to create a new label. Or, check the label(s) to be used in the Select Label(s) list drop-down menu.
4. Click **OK** to apply the labels.

#### To label documents from a Documents window:

1. Select documents to be labeled.  
Note: If no documents are selected, all documents displayed in the Documents window will be labeled.
2. To create a new label, select **New Label** from Select Label drop-down menu and enter the text for the label. To select existing labels, select the label in the Select Label drop-down menu.




3. Click **Apply**.

The label is displayed in the Label column associated with the appropriate records.

	Title	Label
25	Cancer treatment method. CAPLUS	
26	Method for enhancing cognitive function with phosphodiesterase-4 inhibitors. CAPLUS	Alzheimer's treatment

### Managing labels


A bar chart is automatically generated when you create your first label within a project. If you have closed the Labels chart, you can re-open it by selecting **Labels** from the **<Add a chart>** menu. Right-click on the bar chart for each label to rename or delete the label.



## Using filters

Filtering provides a convenient way to create subsets of documents to be displayed, printed, or saved.

To filter documents, select from the options associated with the **Filter** icon.





## Help Topics

- Label Documents
- Labels Chart
- Documents Viewer

## VISUALIZING A SUBSET

To create visualization charts for a subset of documents:

1. Create a highlighted document subset either by highlighting a portion of a visualization chart or by using the **Filter** option.
2. Click the **Visualize Subset** (  ) button on the toolbar, or select **Visualize Subset** from the **File** menu.



3. Click **Start**.

Visualization charts are created for the selected subset of documents. Each subset will be saved as a project and appear in the Projects List.

### Help Topic

- Visualize a Subset


## VIEWING DOCUMENT DETAILS

You have three options for viewing document details:

- View details in STN AnaVist
- View details in STN Express, Version 8.2
- Get copies or view options for obtaining original documents via the ChemPort® Connection™

### Viewing documents in STN AnaVist


STN AnaVist provides access to document data in a condensed format for quick and convenient display. You can display details for a document by clicking on its title either before or after a visualization. The document is displayed in the Details window.



### Viewing documents in STN Express, Version 8.2

To display document information in one of a number of STN database-specific display formats, you need to first export documents to STN Express, Version 8.2.

#### To export documents to STN Express:


1. Access one or more documents in STN AnaVist.
2. Click the **Save As** (  ) toolbar button.
3. From the Files of type field on the Save As dialog box, select **eXpress to AnaVist (.xta)**.
4. Browse to a folder location and specify a file name.
5. Click **Save** to save to the specified location.

#### To view exported documents in STN Express:

1. Log on to STN Express.
2. On the Select *Discover!* Wizard screen, click **Display from STN AnaVist** and follow the step-by-step directions.

## Getting originals

To access the ChemPort connection, click the **Full Text**

(  ) icon. A separate browser window opens to the ChemPort® Connection™ and shows options for obtaining your document.

## Help Topics


- View and Use Document Details
- Save Data in eXpress to AnaVist (.xta) Format

## SAVING AND PRINTING CHARTS AND DOCUMENTS


### Saving charts

1. Access the chart.
2. Right-click and select **Save As**.
3. In the Save As dialog box, enter the location for the saved chart and the format. Bar and matrix charts can be saved in .csv (Comma-separated values), and image file formats can be saved in .jpg (JPEG Image Format) and .png (PNG Image Format). The Research Landscape may be saved only in image file formats.

### Saving documents

1. In the Documents window, select the documents to be saved.
2. Click the **Save As** (  ) toolbar button, or right-click and select **Save As**.
3. In the Save As dialog box, select the type of file (.pdf, .rtf) and specify a file name and location. You may also save documents in .xta (eXpress To AnaVist) format for displaying and printing documents in STN Express, Version 8.2, by using the **Display from STN AnaVist** wizard.

### Printing documents and charts

Click the printer (  ) icon, or right-click and select **Print**.

#### Help Topics:

- Documents Viewer
- Save Charts and Documents
- Print Charts and Document Records
- View and Use Document Details

## MANAGING PROJECTS

Each visualization project is automatically labeled and numbered, e.g., Project 1. Projects are automatically saved for you and are available for further exploration in subsequent STN AnaVist sessions.

To access visualization charts that you have created, click on the project name.

To name, rename, delete, or add notes to the project, right-click on the project name and select the appropriate option.


## SAVING PROJECTS FOR SHARING

You can save a project for sharing with a colleague. The project is saved in Shared AnaVist eXchange format (.shx) as a small file (less than 10 KB) that can be easily stored or sent by e-mail.

### To save a project for sharing:

1. Open the project and select **Save Copy of “<project name>”** from the **File** menu.  
- Or -  
Right-click on the name of the project listed in the project area and select **Save Copy**.  
- Or -  
Right-click on the project tab and select **Save Copy**.
2. In the Save As window, specify a file location and a file name for the saved project.
3. Click **Save**.

The resulting .shx file may be saved to a shared file location or e-mailed to a colleague.



## OPENING SHARED PROJECTS

To open and work with shared projects, you must have:

- STN AnaVist, Version 2.0, installed
- A full-access STN login ID or an STN Login ID for Shared Projects

### To open a shared project from an e-mail attachment:

- Double-click the .shx file attachment.

STN AnaVist launches automatically. After you log in, the mailed project is available for you to use in the STN AnaVist workspace. Double-click the project name to view the visualizations.



### To open a project that is saved to your computer or a shared file location:

1. Select **Open Project Copy** from the **File** menu.
  2. Locate the .shx file.
  3. Click **Open**.
- Or -
- Click and drag the .shx file into the STN AnaVist workspace.

### Help Topics

- Share Results
- Save a Project Copy
- Open a Project Copy

## CREATING REPORTS

You can create two types of reports for your own use or for sharing with colleagues.

A Summary Report is a one-page overview that includes:

- Information about the project, e.g., creation date, number of documents
- Charts of publication trends, top organizations, and top authors/inventors
- Research Landscape
- A short list of selected documents from the project

A Detailed Report is a multiple-page document that contains:

- Summary of the project, e.g., databases and types of documents searched, total number of documents, overall publication trends
- Research Landscape
- Top organizations, including publication trends
- Collaboration charts, indicating documents that were co-authored by researchers at more than one organization
- Top researchers, including numbers of documents
- List of selected documents from the project

Reports are generated using predefined layouts. They may be saved in either Rich Text Format (.rtf) or Portable Document Format (.pdf).

### To create a report:

Before you begin: If you have not worked with your project in the current session, ensure that it is active by double-clicking the project name listed in the project area.

1. Select **Create Report** from the **File** menu.  
- Or -  
Right-click on the name of the project listed in the project area and select **Create Report**.  
- Or -  
Right-click on the project tab and select **Create Report**.
2. Select **Summary** or **Detailed**.
3. In the Save As window, specify a file location and a file name for the report. Select .rtf or .pdf format.
4. Click **Save**.

### Help Topics

- Create a Report

## TRACKING COSTS

To keep track of the costs, select **Session Summary** from the **View** menu. The session summary includes:


- Session cost summary
- Cost details
- Chronological session log

## Help Topics

- Project Workspace
- View Session Details
- Manage Cost Centers

## LOGGING OFF

To log off, either:

- Select **Exit** from the **File** menu
- Close the STN AnaVist application by clicking the **Close** () button.

By default, the session summary displays automatically at logoff. Your visualization project(s) are automatically saved.

## Help Topics

- End a Session