



## Revise your alert.

- 1 Enter ALERT EDIT to modify an existing alert.
- 2 Enter the name of the alert you wish to change.

A line number is assigned automatically to each parameter.

- 3 Enter the line numbers for the parameters to be changed.

- 4 Update the parameters and provide additional information needed to process the changes.

The details of the modified alert display automatically.

- 5 If you are satisfied with the changes, enter END.
- 6 Enter Y to save the alert.

```

=> ALERT EDIT
ENTER SDI NAME TO BE EDITED OR (END): COMB/S
PARAMETER                SETTING
-----
SDI Name and Creation Date COMB/S      23 MAR 2008
SDI REQUEST FOR FILE CAPLUS
1 Title                   COMBINATORIAL LIBRARY
2 Cost Center              NONE
3 Update Qualifier        UP
4 Method of Delivery      ONLINE
5 Highlighting            NO
6 Duplicate Elimination   YES
7 SDI Run Frequency       WEEKLY
8 SDI Expiration Date     NOT SPECIFIED
-----
9 L2  QUE  ABB=ON  PLU=ON  COMBINATOR?(S) (CHEMISTRY OR
LIBRARY)
ENTER LINE NUMBER(S) FOR CHANGE, END, OR (?): 4, 7
ENTER METHOD OF DELIVERY (OFFLINE), ONLINE, OR
EMAIL: EMAIL
ENTER EMAIL ID (2186C): HELP@CAS.ORG
.
.
.
ENTER SDI RUN FREQUENCY - DAILY, (WEEKLY), BIWEEKLY, OR
?: DAILY

PARAMETER                SETTING
-----
SDI Name and Creation Date COMB/S      23 MAR 2008
SDI REQUEST FOR FILE CAPLUS
1 Title                   COMBINATORIAL LIBRARY
.
.
.
-----
19 L2  QUE  ABB=ON  PLU=ON  COMBINATOR?(S) (CHEMISTRY OR
LIBRARY)
ENTER LINE NUMBER(S) FOR CHANGE, END, OR (?): END
SAVE THE CHANGES? (Y)/N: Y
SDI REQUEST 'COMB/S' HAS BEEN EDITED

```

## For more information

Enter HELP UPD at an arrow prompt in the database.



A division of the  
American Chemical Society

June 2008

CAS Customer Care  
Phone: 800-753-4227 (North America)  
614-447-3700 (worldwide)  
Fax: 614-447-3751  
E-mail: help@cas.org  
Internet: www.cas.org